

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 12-Dec-2017

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: CHLORINATED DEGREASER

Product Number: 3080

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

### 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Acute toxicity - Inhalation (Dusts/Mists) Category 4
Skin Corrosion/Irritation: Category 1
Serious Eye Damage/Eye Irritation: Category 1
Corrosive to Metals: Category 1

**GHS Label Elements** 

Signal Word: Danger

Symbols:



Hazard Statements: Harmful if inhaled.

Causes severe skin burns and serious eye damage.

May be corrosive to metals.

**Precautionary Statements:** 

**Prevention:** Use only outdoors or in a well-ventilated area

Do not breathe mist, vapors or spray.

Wash hands and any exposed skin thoroughly after handling.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Keep in original or other corrosion resistant container.

Response: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

**-Eyes** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse.

**-Inhalation:** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

-Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Revision Date: 12-Dec-2017

Spill: Absorb spillage to prevent material damage.

Store locked up. Store in corrosion resistant container. Storage:

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: · Corrosive.

· May be harmful if swallowed.

Harmful contact may not cause immediate pain.

Do not use or mix with other cleaning products, acids, ammonia or other chemicals. To do

so may release hazardous gases. · Keep out of reach of children.

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

lavage.

#### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name              | CAS No    | Weight-% |
|----------------------------|-----------|----------|
| water                      | 7732-18-5 | 60-100   |
| potassium hydroxide        | 1310-58-3 | 1-5      |
| sodium hypochlorite        | 7681-52-9 | 1-5      |
| sodium lauroyl sarcosinate | 137-16-6  | 1-5      |
| sodium silicate            | 1344-09-8 | 1-5      |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and

> easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN. Take off immediately all contaminated clothing and shoes. Rinse with water or shower for

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Ingestion: Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric Note to Physicians:

lavage.

#### 5. FIRE-FIGHTING MEASURES

**Suitable Extinguishing Media:** 

Water spray (fog), Carbon dioxide

Specific Hazards Arising from the Chemical:

-Skin Contact:

-Inhalation:

Dried product is capable of burning. Combustion products are toxic.

**Hazardous Combustion Products:** 

May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and** 

Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

**Precautions for Firefighters:** protective gear. Cool fire-exposed containers with water spray.

### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions:** 

**Methods for Clean-Up:** 

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

### 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

**Incompatible Materials:** Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin.

**Suggested Shelf Life:** 1 year from date of manufacture.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

| Chemical Name                    | ACGIH TLV                    | OSHA PEL                               | NIOSH                        |
|----------------------------------|------------------------------|--|------------------------------|
| potassium hydroxide<br>1310-58-3 | Ceiling: 2 mg/m <sup>3</sup> | (vacated) Ceiling: 2 mg/m <sup>3</sup> | Ceiling: 2 mg/m <sup>3</sup> |

**Engineering Controls:** Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other engineering controls should be considered.

Revision Date: 12-Dec-2017

engineering controls should be considered

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

Eye/Face Protection:

**Skin and Body Protection:** 

Wear splash goggles. For severe use-conditions, wear a face shield over the goggles. Wear rubber or other chemical-resistant gloves. Use of impervious apron, boots and other

protective equipment should be considered in order to prevent or minimize contact with this

product.

**Respiratory Protection:** Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State:              | Liquid                       |  |
|---|------------------------------|--|
| • | '                            |  |
| Color:                                  | Light yellow                 |  |
| Odor:                                   | Slight chlorine              |  |
| pH:                                     | 13.0-13.5                    |  |
| Melting Point / Freezing Point:         | No information available.    |  |
| Boiling Point / Boiling Range:          | 100 °C / 212 °F              |  |
| Flash Point:                            | > 100 °C / > 212 °F ASTM D56 |  |
| Evaporation Rate:                       | < 1.0 (Butyl acetate = 1)    |  |
| Flammability (solid, gas)               | No information available.    |  |
| Upper Flammability Limit:               | No information available.    |  |
| Lower Flammability Limit:               | No information available.    |  |
| Vapor Pressure:                         | No information available.    |  |
| Vapor Density:                          | No information available.    |  |
| Specific Gravity:                       | 1.15                         |  |
| Solubility(ies):                        | No information available.    |  |
| Partition Coefficient:                  | No information available.    |  |
| Autoignition Temperature:               | No information available.    |  |
| Decomposition Temperature:              | No information available.    |  |
| Viscosity:                              | No information available.    |  |

### 10. STABILITY AND REACTIVITY

Revision Date: 12-Dec-2017

Reactivity: This material is considered to be non-reactive under normal conditions of use.

**Chemical Stability:** Stable under normal conditions.

Possibility of Hazardous Reactions: Contact with acids releases chlorine gas. Contact with ammonia releases chloramine gas.

Contact with aluminum or other reactive metals may release hydrogen gas.

Extremes of temperature and direct sunlight. **Conditions to Avoid:** 

**Incompatible Materials:** Acids. Strong oxidizing agents. Ammonia. Reactive metals such as aluminum, zinc and tin. May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. **Hazardous Decomposition** 

Products: Releases oxygen when heated to decomposition which may intensify fire.

### 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

-Eye Contact: Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause

permanent damage.

-Skin Contact: Pain, redness, blistering and possible chemical burn.

Irritation or damage to the mucus membranes of the respiratory tract. Nasal discomfort and -Inhalation:

coughing.

Damage or chemical burns to mouth, throat and stomach. Pain, nausea, vomiting and -Ingestion:

diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: -Eyes. Respiratory System. -Skin.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 11982 mg/kg ATEmix (inhalation-dust/mist): 2.3 mg/l

**Component Acute Toxicity Information** 

| Chemical Name                    | Oral LD50            | Dermal LD50              | Inhalation LC50 |
|----------------------------------|----------------------|--------------------------|-----------------|
| water<br>7732-18-5               | > 90 mL/kg ( Rat )   | Not Available            | Not Available   |
| potassium hydroxide<br>1310-58-3 | = 284 mg/kg ( Rat )  | Not Available            | Not Available   |
| sodium hypochlorite<br>7681-52-9 | = 8200 mg/kg ( Rat ) | > 10000 mg/kg ( Rabbit ) | Not Available   |
| sodium silicate<br>1344-09-8     | = 1960 mg/kg ( Rat ) | Not Available            | Not Available   |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

#### 12. ECOLOGICAL INFORMATION

Ecotovicity

| Chemical Name                     | Algae/Aquatic Plants                         | Fish   | Toxicity to<br>Microorganisms | Crustacea   |
|-----------------------------------|--|--|-------------------------------|---|
| sodium hypochlorite Not 7681-52-9 | Not Available                                | 0.06 - 0.11: 96 h Pimephales<br>promelas mg/L LC50 | Not Available                 | 0.033 - 0.044: 48 h Daphnia<br>magna mg/L EC50 Static |
| 7001-32-9                         |  | flow-through 4.5 - 7.6: 96 h                       |                               | magna mg/L EC50 Static                                |
|                                   |  | Pimephales promelas mg/L                           |                               |   |
|                                   |  | LC50 static 0.4 - 0.8: 96 h                        |                               |   |
|                                   |  | Lepomis macrochirus mg/L                           |                               |   |
|                                   |  | LC50 static 0.28 - 1: 96 h                         |                               |   |
|                                   |  | Lepomis macrochirus mg/L                           |                               |   |
|                                   | LC50 flow-through 0.05 -                     |  |                               |   |
|                                   | 0.771: 96 h Oncorhynchus<br>mykiss mg/L LC50 |  |                               |   |
|                                   | flow-through 0.03 - 0.19: 96                 |  |                               |   |
|                                   | h Oncorhynchus mykiss                        |  |                               |   |
|                                   | mg/L LC50 semi-static 0.18 -                 |  |                               |   |
|                                   |  | 0.22: 96 h Oncorhynchus                            |                               |   |
|                                   |  | mykiss mg/L LC50 static                            |                               |   |

sodium silicate Not Available 301 - 478: 96 h Lepomis Not Available Not Available macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi-static

Persistence and Degradability:
Bioaccumulation:

Other Adverse Effects:

No information available.

No information available.

## 13. DISPOSAL CONSIDERATIONS

Disposal of Wastes:

Contaminated Packaging:

Dispose of in accordance with federal, state and local regulations.

Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number: D002

## 14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1760

Proper Shipping Name: Corrosive liquids, n.o.s., (contains sodium hypochlorite, potassium hydroxide)

Hazard Class: 8
Packing Group: |

**Special Provisions:** Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

Revision Date: 12-Dec-2017

expert for information specific to your situation.

IMDG:

UN/ID No: UN1760

**Proper Shipping Name:** Corrosive liquids, n.o.s., (contains sodium hypochlorite, potassium hydroxide)

Hazard Class: 8
Packing Group: |

### 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

Fire Hazard:

Sudden release of pressure hazard:

Reactive Hazard:

No

No

**California Proposition 65** 

This product is not subject to warning requirements under California Proposition 65.

## **16. OTHER INFORMATION**

NFPA Health Hazards: 3 Flammability: 0 Instability: 0 Special: N/A

HMIS Health Hazards: 3 Flammability: 0 Physical Hazards: 0

Revision Date: 12-Dec-2017
Reasons for Revision: Revised formula

Revision Date: 12-Dec-2017

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**