

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 09-Feb-2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against:	DAMP MOP 3016 Cleaning agent For Industrial and Institutional Use Only
Manufacturer/Supplier:	Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com
24 Hour Emergency Phone Number Medical Emergency/Information: Transportation/Spill/Leak:	s: 888-314-6171 CHEMTREC 800-424-9300
	2. HAZARDS IDENTIFICATION
GHS Classification Serious Eye Damage/Eye Irritation:	Category 2A
GHS Label Elements Signal Word:	Warning

Signal Word: Symbols:	Warning
Hazard Statements: Precautionary Statements:	Causes serious eye irritation
Prevention:	Wash hands and any exposed skin thoroughly after handling. Wear eye / face protection
Response: -Eyes -Specific Treatment:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.
Storage: Disposal:	Not Applicable Not Applicable
Hazards Not Otherwise Classified:	Not Applicable
Other Information:	 May be harmful if swallowed. May cause skin irritation. Inhalation of vapors or mist may cause respiratory irritation. Keep out of reach of children.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
C9-11 Pareth-6	68439-46-3	1-5
Isopropyl Alcohol	67-63-0	1-5
Tetrasodium EDTA	64-02-8	0.1-1
Sodium Caprylyl Sulfonate	5324-84-5	0.1-1
Citrus Terpenes	68608-34-4	<0.1
Orange Terpenes	68647-72-3	<0.1
Citric Acid	77-92-9	<0.1
Methylchloroisothiazolinone	26172-55-4	<0.1
Fragrance	PROPRIETARY	<0.1
Acid Yellow 36	587-98-4	<0.1
Methylisothiazolinone	2682-20-4	<0.1
CI 74180	1330-38-7	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES					
-Eye Contact:	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.				
-Skin Contact:	Wash with soap and water. If skin irritation occurs: Get medical attention.				
-Inhalation:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell.				
-Ingestion:	Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell.				
Note to Physicians: Treat symptomatically.					
	5. FIRE-FIGHTING MEASURES				
Suitable Extinguishing Media:	Product does not support combustion, Use extinguishing agent suitable for type of surrounding fire				
Cupatitie Henerale Arising from the					
Specific Hazards Arising from the Chemical:	Dried product is capable of burning. Combustion products are toxic.				
Chemical: Hazardous Combustion Products:	5				

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:
Environmental Precautions:
Methods for Clean-Up:Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
Do not rinse spill onto the ground, into storm sewers or bodies of water.
Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth
or other non-combustible absorbent material. Take up mechanically, placing in appropriate
containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE		
Advice on Safe Handling:	Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.	
Storage Conditions:	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children. Keep from freezing.	
Suggested Shelf Life:	Minimum of 2 years from date of manufacture.	

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Isopropyl Alcohol	STEL: 400 ppm	TWA: 400 ppm	IDLH: 2000 ppm
67-63-0	TWA: 200 ppm	TWA: 980 mg/m ³	TWA: 400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m ³
		(vacated) TWA: 980 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	
CI 74180	TWA: 1 mg/m ³ Cu dust and mist	-	IDLH: 100 mg/m ³ Cu dust and
1330-38-7			mist
			TWA: 1 mg/m ³ Cu dust and mist
ngineering Controls:	Provide good general ventilatio If work practices generate dust	, fumes, gas, vapors or mists v	
	0 0	, fumes, gas, vapors or mists v nal exposure limits, local exha	
ersonal Protective Equipment	If work practices generate dust chemicals above the occupatio engineering controls should be	, fumes, gas, vapors or mists v nal exposure limits, local exha	
ersonal Protective Equipment ye/Face Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles.	, fumes, gas, vapors or mists v nal exposure limits, local exha considered.	
ersonal Protective Equipment ye/Face Protection: kin and Body Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles. Not required with expected use	, fumes, gas, vapors or mists v nal exposure limits, local exha considered.	
ersonal Protective Equipment ye/Face Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles. Not required with expected use Not required with expected use	, fumes, gas, vapors or mists v nal exposure limits, local exha considered.	ust ventilation or other
ersonal Protective Equipment ye/Face Protection: kin and Body Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles. Not required with expected use Not required with expected use If occupational exposure limits	, fumes, gas, vapors or mists w nal exposure limits, local exha considered. e. e. are exceeded or respiratory irr	ust ventilation or other
ersonal Protective Equipment ye/Face Protection: kin and Body Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles. Not required with expected use Not required with expected use If occupational exposure limits NIOSH/MSHA approved respira	, fumes, gas, vapors or mists w nal exposure limits, local exha considered. e. e. are exceeded or respiratory irr	ust ventilation or other
ersonal Protective Equipment ye/Face Protection: kin and Body Protection: espiratory Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles. Not required with expected use Not required with expected use If occupational exposure limits NIOSH/MSHA approved respira 3 should be considered.	, fumes, gas, vapors or mists w nal exposure limits, local exha considered. e. a. are exceeded or respiratory irr ator suitable for the use-condit	ust ventilation or other ritation occurs, use of a tions and chemicals in Section
ersonal Protective Equipment /e/Face Protection: kin and Body Protection:	If work practices generate dust chemicals above the occupatio engineering controls should be Wear splash goggles. Not required with expected use Not required with expected use If occupational exposure limits NIOSH/MSHA approved respira	, fumes, gas, vapors or mists w nal exposure limits, local exha considered. e. are exceeded or respiratory irr ator suitable for the use-condit skin thoroughly after handling.	ust ventilation or other ritation occurs, use of a tions and chemicals in Sectior

9. PHYSICAL AND CHEMICAL PROPERTIES

	I tauta		
Appearance/Physical State:	Liquid		
Color:	Yellow		
Odor:	Lemon		
pH:	7.0-8.0		
Melting Point / Freezing Point:	No information available.		
Boiling Point / Boiling Range:	82 °C / 180 °F		
Flash Point:	None / Pensky-Martens Closed Cup (PMCC)		
Evaporation Rate:	< 1 (BuAc = 1)		
Flammability (solid, gas)	No information available.		
Upper Flammability Limit:	No information available.		
Lower Flammability Limit:	No information available.		
Vapor Pressure:	No information available.		
Vapor Density:	No information available.		
Specific Gravity:	1.000		
Solubility(ies):	Soluble in water		
Partition Coefficient:	No information available.		
Autoignition Temperature:	No information available.		
Decomposition Temperature:	No information available.		
Viscosity:	No information available.		

10. STABILITY AND REACTIVITY

Reactivity:	This material is considered to be non-reactive under normal conditions of use.
Chemical Stability:	Stable under normal conditions.
Possibility of Hazardous Reactions:	Not expected to occur with normal handling and storage.
Conditions to Avoid:	Extremes of temperature and direct sunlight.
Incompatible Materials:	Strong oxidizing agents. Strong acids.
Hazardous Decomposition	May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.
Products:	

11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Symptoms of Exposure:	Eyes, Skin, Ingestion, Inhalation.
-Eye Contact:	Pain, redness, swelling of the conjunctiva and blurred vision.
-Skin Contact:	Drying of the skin.
-Inhalation:	Nasal discomfort and coughing.
-Ingestion:	Pain, nausea, vomiting and diarrhea.
Immediate, Delayed, Chronic Effect	S
Product Information:	Data not available or insufficient for classification.
Target Organ Effects: Numerical Measures of Toxicity	-Eyes. Respiratory SystemSkin.
The following acute toxicity estimates	(ATE) are calculated based on the GHS document.

ATEmix (oral):	37002 mg/kg
ATEmix (dermal):	57376 mg/kg
ATEmix (inhalation-dust/mist):	4789.1 mg/l

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
C9-11 Pareth-6 68439-46-3	= 1400 mg/kg (Rat)	Not Available	Not Available
Isopropyl Alcohol 67-63-0	= 1870 mg/kg (Rat)	= 4059 mg/kg (Rabbit)	= 72600 mg/m³ (Rat)4 h
Tetrasodium EDTA 64-02-8	= 1658 mg/kg(Rat)	Not Available	Not Available
Citric Acid 77-92-9	= 3 g/kg (Rat)	Not Available	Not Available
Methylchloroisothiazolinone 26172-55-4	= 481 mg/kg (Rat)	Not Available	= 1.23 mg/L (Rat)4 h
Acid Yellow 36 587-98-4	= 5000 mg/kg (Rat)	Not Available	Not Available
CI 74180 1330-38-7	> 5 g/kg (Rat)	Not Available	Not Available

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Isopropyl Alcohol 67-63-0	1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50	9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50	Not Available	13299: 48 h Daphnia magna mg/L EC50
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	41: 96 h Lepomis macrochirus mg/L LC50 static 59.8: 96 h Pimephales promelas mg/L LC50 static	Not Available	Not Available
Citric Acid 77-92-9	Not Available	1516: 96 h Lepomis macrochirus mg/L LC50 static	Not Available	Not Available

Methylchloroisothiazolinone 26172-55-4	0.11 - 0.16: 72 h Pseudokirchneriella subcapitata mg/L EC50 static 0.03 - 0.13: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	1.6: 96 h Oncorhynchus mykiss mg/L LC50 semi-static	Not Available	4.71: 48 h Daphnia magna mg/L EC50 0.12 - 0.3: 48 h Daphnia magna mg/L EC50 Flow through 0.71 - 0.99: 48 h Daphnia magna mg/L EC50 Static		
Persistence and Degrada Bioaccumulation:		No information available. No information available.				
Other Adverse Effects:	No informati	No information available.				
13. DISPOSAL CONSIDERATIONS						
Disposal of Wastes: Contaminated Packaging		accordance with federal, state and local regulations. accordance with federal, state and local regulations.				
14. TRANSPORT INFORMATION						
<u>DOT:</u> Proper Shipping Nan Special Provisions:	Shipping de and/or origir	ous Product scriptions may vary based o	ary based on mode of transport, quantities, package size, Check with a trained hazardous materials transportation c to your situation.			
IMDG: Not Regulated Proper Shipping Name: Non Hazardous Product						

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

<u>SARA 313</u>

This product contains the following listed substances:

SARA 311/312 Hazard Categories	
Acute Health Hazard:	Yes
Chronic Health Hazard:	No
Fire Hazard:	No
Sudden release of pressure hazard:	No
Reactive Hazard:	No

16. OTHER INFORMATION

NFPA	Health Hazards: 2	Flammability: 0
HMIS	Health Hazards: 2	Flammability: 0

Instability: 0 Physical Hazards: 0 Special: N/A

Revision Date: Reasons for Revision: 09-Feb-2020 Section, 3, 8, 9, 11, 12, and, 13

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet