

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 03-Apr-2020

1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name: CLEAN ON THE GO ACID BATHROOM & SHOWER CLEANER [7]

Product Number: 4724

Recommended Use: Cleaning agent

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

Medical Emergency/Information: 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

2. HAZARDS IDENTIFICATION

GHS Classification

Acute Toxicity - Oral: Category 4

Skin Corrosion/Irritation: Category 1 Sub-category B

Serious Eye Damage/Eye Irritation: Category 1

GHS Label Elements

Signal Word: Danger

Symbols:



Hazard Statements: Harmful if swallowed.

Causes severe skin burns and serious eye damage.

Precautionary Statements:

Prevention: Wash hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product

Do not breathe mist, vapors or spray.

Wear protective gloves. Wear eye / face protection. Wear protective clothing.

Response: IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Eyes IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

-Skin IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower. Wash contaminated clothing before reuse.

-Inhalation: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

-Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

-Specific Treatment: See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Store locked up.

Disposal: Dispose of contents and container in accordance with local, state and federal regulations.

Hazards Not Otherwise Classified: Not Applicable

Other Information: Corrosive.

• Inhalation of vapors or mist may cause respiratory irritation.

· Keep out of reach of children.

• Do not mix with hypochlorite-type bleach or other household chemicals as hazardous

vapors or gases may be produced.

• NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric

Revision Date: 03-Apr-2020

lavage.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Urea Monohydrochloride	506-89-8	30-60
Water	7732-18-5	15-40
Undeceth-3	34398-01-1	5-10
Fragrance	PROPRIETARY	0.1-1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	0.1-1
Terpene Hydrocarbons	68956-56-9	<0.1
Hexyl Cinnamal	101-86-0	<0.1
Citral	5392-40-5	<0.1
Linalool	78-70-6	<0.1
Terpineol	98-55-5	<0.1
Tetramethyl Acetyloctahydronaphthalenes	54464-57-2	<0.1
Methyl Alpha-Ionone Isomers	1335-46-2	<0.1
Acid Red 52	3520-42-1	<0.1
Citronellyl Nitrile	51566-62-2	<0.1
Citronellol	106-22-9	<0.1
Phenothiazin-5-ium, 3,7-bis(Dimethylamino)	61-73-4	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

-Eye Contact: Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Skin Contact: Take off immediately all contaminated clothing and shoes. Rinse with water or shower for

at least 15 minutes. IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IMMEDIATELY CALL A POISON CENTER OR PHYSICIAN.

-Ingestion: Rinse mouth. Do NOT induce vomiting. IMMEDIATELY CALL A POISON CENTER OR

PHYSICIAN. Never give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric Note to Physicians:

lavage.

5. FIRE-FIGHTING MEASURES

Product does not support combustion, Use extinguishing agent suitable for type of Suitable Extinguishing Media:

surrounding fire

Specific Hazards Arising from the

Chemical:

Dried product is capable of burning. Combustion products are toxic.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

Protective Equipment and Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full

Precautions for Firefighters: protective gear. Cool fire-exposed containers with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Environmental Precautions: Methods for Clean-Up: Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 03-Apr-2020

7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling.

Storage Conditions: Keep containers tightly closed in a dry, cool and well-ventilated place. Keep out of the reach

of children. Keep from freezing.

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Reactive metals such as aluminum, zinc and

tin.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits:

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Citral	TWA: 5 ppm inhalable fraction	=	-
5392-40-5	and vapor		
	S*		

Engineering Controls: Provide good general ventilation.

If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

Eye wash stations and shower facilities should be readily accessible in areas where the

product is handled.

Personal Protective Equipment

Skin and Body Protection:

Eye/Face Protection:

Wear splash goggles. For severe use-conditions, wear a face shield over the goggles.

Wear rubber or other chemical-resistant gloves.

Respiratory Protection: Not required with expected use.

If occupational exposure limits are exceeded or respiratory irritation occurs, use of a

NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

General Hygiene Considerations: Wash hands and any exposed skin thoroughly after handling.

See 29 CFR 1910.132-138 for further guidance.

Revision Date: 03-Apr-2020

Appearance/Physical State:	Liquid
Color:	Purple
Odor:	Citrus fragrance
pH:	< 1
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F
Flash Point:	> 100 °C / > 212 °F ASTM D56
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	1.17
Solubility(ies):	Soluble in water
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

10. STABILITY AND REACTIVITY

Reactivity: This material is considered to be non-reactive under normal conditions of use.

Stable under normal conditions. **Chemical Stability:**

Possibility of Hazardous Reactions: Contact with sodium hypochlorite (or other hypochlorites) releases chlorine gas. Contact

with aluminum or other reactive metals may release hydrogen gas.

Extremes of temperature and direct sunlight. **Conditions to Avoid:**

Incompatible Materials: Sodium hypochlorite (or other hypochlorites). Reactive metals such as aluminum, zinc and

11. TOXICOLOGICAL INFORMATION

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

Hazardous Decomposition

Products:

Likely Routes of Exposure: Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

Pain, redness, swelling of the conjunctiva and tissue damage. Eye contact may cause -Eye Contact:

permanent damage.

Pain, redness, blistering and possible chemical burn. -Skin Contact:

-Inhalation: Nasal discomfort and coughing. Irritation or damage to the mucus membranes of the

respiratory tract.

-Ingestion: Pain, nausea, vomiting and diarrhea. Damage or chemical burns to mouth, throat and

stomach.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Numerical Measures of Toxicity

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 814 mg/kg

Component Acute Toxicity Information

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg(Rabbit)	Not Available

Hexyl Cinnamal 101-86-0	= 3100 mg/kg (Rat)	> 3000 mg/kg (Rabbit)	> 5 mg/L (Rat)4 h
Citral 5392-40-5	= 4960 mg/kg (Rat)	= 2250 mg/kg (Rabbit)	Not Available
Linalool 78-70-6	= 2790 mg/kg (Rat)	Not Available	Not Available
Terpineol 98-55-5	= 5170 mg/kg (Rat)	Not Available	Not Available
Methyl Alpha-Ionone Isomers 1335-46-2	> 5 g/kg(Rat)	> 5000 mg/kg (Rabbit)	Not Available
Citronellyl Nitrile 51566-62-2	= 5300 mg/kg (Rat)	Not Available	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg (Rabbit)	Not Available
Phenothiazin-5-ium, 3,7-bis(Dimethylamino) 61-73-4	= 1180 mg/kg(Rat)	Not Available	Not Available

Revision Date: 03-Apr-2020

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Ecotoxicity

noniony				
Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
Citral 5392-40-5	16: 72 h Desmodesmus subspicatus mg/L EC50 19: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	7: 48 h Daphnia magna mg/L EC50
Linalool 78-70-6	88.3: 96 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	20: 48 h Daphnia magna mg/L EC50

Persistence and Degradability:
Bioaccumulation:No information available.
No information available.Other Adverse Effects:No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: This material, as supplied, is a hazardous waste according to federal regulations (40 CFR

261).

Contaminated Packaging: Dispose of in accordance with federal, state and local regulations.

US EPA Waste Number: D002

14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1760

Proper Shipping Name: Corrosive Liquids, n.o.s., (contains urea hydrochloride)

Hazard Class: 8
Packing Group: II

Special Provisions: Shipping descriptions may vary based on mode of transport, quantities, package size,

and/or origin and destination. Check with a trained hazardous materials transportation

expert for information specific to your situation.

IMDG:

UN/ID No: UN1760

Proper Shipping Name: Corrosive Liquids, n.o.s., (contains urea hydrochloride)

Hazard Class: 8
Packing Group: ||

Revision Date: 03-Apr-2020

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:

Chronic Health Hazard:

No
Fire Hazard:

No
Sudden release of pressure hazard:

No
Reactive Hazard:

No

California Proposition 65

This product is not subject to warning requirements under California Proposition 65.

16. OTHER INFORMATION

NFPA Health Hazards: 3 Flammability: 0 Instability: 0 Special: N/A

Health Hazards: 3 Flammability: 0 Physical Hazards: 0

Revision Date: 03-Apr-2020 Reasons for Revision: Section 2

Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet