

Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 18-May-2015

1. PRODUCT AND COMPANY IDENTIFICATION

| Product Identifier Product Name: Product Number: Recommended Use: Uses Advised Against: | AIRLIFT SMOKE & ODOR ELIMINATOR (AEROSOL) 6086 Air freshener For Industrial and Institutional Use Only | | |
|---|---|--|--|
| Manufacturer/Supplier: | Spartan Chemical Company, Inc. 1110 Spartan Drive Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com | | |
| 24 Hour Emergency Phone Number Medical Emergency/Information Transportation/Spill/Leak: | | | |
| 2. HAZARDS IDENTIFICATIO | Ν | | |
| GHS Classification Flammable Aerosols Gases Under Pressure | Category 1 Liquefied gas | | |
| <u>GHS Label Elements</u> Signal Word: | Danger | | |
| Symbols: | | | |
| Hazard Statements: | No hazard statements Extremely flammable aerosol. Contains gas under pressure; may explode if heated | | |
| Precautionary Statements: Prevention: | Keep away from heat/sparks/open flames/hot surfaces. — No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. | | |
| Response: -Specific Treatment: | See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information. | | |
| Storage: Disposal: | Protect from sunlight. Store at temperatures not exceeding .?1 °C/ .?2 °F Store in a well-ventilated place Not Applicable | | |
| Hazards Not Otherwise Classified: | Not Applicable | | |

Other Information:

- May cause skin irritation.
- May cause eye irritation.
- May be harmful if swallowed.
- Inhalation of vapors or mist may cause respiratory irritation.
- Keep out of reach of children.

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-----------------------|------------|----------|
| water | 7732-18-5 | 60-100 |
| N-butane | 106-97-8 | 7-13 |
| petroleum distillates | 64742-47-8 | 5-10 |
| propane | 74-98-6 | 3-7 |
| petroleum distillates | 64742-88-7 | 1-5 |

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

| -Eye Contact: -Skin Contact: -Inhalation: | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Wash with soap and water. If skin irritation occurs: Get medical attention. Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison control center or physician if you feel unwell. |
|---|--|
| -Ingestion: | Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention if you feel unwell. |
| Note to Physicians: | Treat symptomatically. |
| | 5. FIRE-FIGHTING MEASURES |
| Suitable Extinguishing Media: Specific Hazards Arising from the Chemical: Hazardous Combustion Products: | Water spray (fog), Foam Extremely flammable aerosol. Exposure to high temperature may cause containers to burst. Bursting aerosol containers may be propelled from fire at high speed. May include Carbon monoxide Carbon dioxide and other toxic gases or vapors. |

| Protective Equipment and | Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full |
|-------------------------------|---|
| Precautions for Firefighters: | protective gear. Water may be used to cool closed containers to prevent pressure build-up |
| recounting for the igners. | and possible auto ignition or explosion when exposed to extreme heat. |

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions:Use personal protective equipment as required. Remove all sources of ignition.Environmental Precautions:Do not rinse spill onto the ground, into storm sewers or bodies of water.Methods for Clean-Up:Prevent further leakage or spillage if safe to do so. Contain and collect spillage with
non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite)
and place in container for disposal according to local / national regulations (see Section 13).

7. HANDLING AND STORAGE

| t f | Handle in accordance with good industrial hygiene and safety practice. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after handling. |
|--------|--|
|--------|--|

Storage Conditions:

NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. Exposure to high temperature may cause containers to burst. Keep out of the reach of children.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:

| ACGIH TLV | OSHA PEL | NIOSH | | |
|---|--|---|--|--|
| TWA: 1000 ppm | (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ | TWA: 800 ppm TWA: 1900 mg/m ³ | | |
| TWA: 1000 ppm | TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ | IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ | | |
| If work practices generate dus chemicals above the occupation | t, fumes, gas, vapors or mists w onal exposure limits, local exhau | | | |
| Not required with expected use. | | | | |
| Not required with expected use. | | | | |
| Not required with expected use. If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section 3 should be considered. Wash hands and any exposed skin thoroughly after handling. See 29 CFR 1910.132-138 for further guidance. | | | | |
| | TWA: 1000 ppm TWA: 1000 ppm TWA: 1000 ppm Provide good general ventilati If work practices generate dus chemicals above the occupati engineering controls should be Not required with expected us NOSH/MSHA approved respi | TWA: 1000 ppm (vacated) TWA: 800 ppm (vacated) TWA: 1900 mg/m ³ TWA: 1000 ppm TWA: 1000 ppm TWA: 1000 ppm TWA: 1800 mg/m ³ (vacated) TWA: 1000 ppm (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m ³ Provide good general ventilation. If work practices generate dust, fumes, gas, vapors or mists w chemicals above the occupational exposure limits, local exhau engineering controls should be considered. Not required with expected use. Not required with expected use. If occupational exposure limits are exceeded or respiratory irri NIOSH/MSHA approved respirator suitable for the use-conditional | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance/Physical State: | Aerosol | |
|---------------------------------|--|--|
| Color: | Colorless | |
| Odor: | Floral fragrance | |
| pH: | 6.0-8.0 | |
| Melting Point / Freezing Point: | No information available. | |
| Boiling Point / Boiling Range: | 100 °C / 212 °F (Product without propellant) | |
| Flash Point: | < -18 °C / < 0 °F (Propellant-estimated) | |
| Evaporation Rate: | <1 (Butyl acetate = 1) | |
| Flammability (solid, gas) | No information available. | |
| Upper Flammability Limit: | No information available. | |
| Lower Flammability Limit: | No information available. | |
| Vapor Pressure: | No information available. | |
| Vapor Density: | No information available. | |
| Specific Gravity: | 0.83 (Product without propellant) | |
| Solubility(ies): | No information available. | |
| Partition Coefficient: | No information available. | |
| Autoignition Temperature: | No information available. | |
| Decomposition Temperature: | No information available. | |
| Viscosity: | No information available. | |

10. STABILITY AND REACTIVITY

| Reactivity: | This material is considered to be non-reactive under normal conditions of use. |
|-------------------------------------|--|
| Chemical Stability: | Stable under normal conditions. |
| Possibility of Hazardous Reactions: | Not expected to occur with normal handling and storage. |
| Conditions to Avoid: | Extremes of temperature and direct sunlight. |
| Incompatible Materials: | Strong oxidizing agents. Strong acids. |

.

| Hazardous Decomposition Products: | May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors. |
|--------------------------------------|--|
| | 11. TOXICOLOGICAL INFORMATION |
| Likely Routes of Exposure: | Eves, Skin, Ingestion, Inhalation. |

| Symptoms of Exposure: | |
|--|--|
| -Eye Contact: | Pain and redness. |
| -Skin Contact: | Drying of the skin. |
| -Inhalation: | Nasal discomfort and coughing. |
| -Ingestion: | Pain, nausea, vomiting and diarrhea. |
| Immediate, Delayed, Chronic Effect | S |
| Product Information: | Data not available or insufficient for classification. |
| Target Organ Effects: | Central nervous system. |
| Numerical Measures of Toxicity | (ATE) are calculated based on the GHS document. |
| The following acute toxicity estimates | (ATE) are calculated based of the OTO document. |
| ATEmix (oral): | 49213 mg/kg |
| ATEmix (dermal): | 20804 mg/kg |

ATEmix (inhalation-gas): 1669319 mg/l

Component Acute Toxicity Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|-------------------------------------|--------------------|-----------------------|----------------------|
| water 7732-18-5 | > 90 mL/kg (Rat) | Not Available | Not Available |
| N-butane 106-97-8 | Not Available | Not Available | = 658 mg/L (Rat)4 h |
| petroleum distillates 64742-47-8 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat)4 h |
| propane 74-98-6 | Not Available | Not Available | = 658 mg/L (Rat)4 h |
| petroleum distillates 64742-88-7 | > 5000 mg/kg (Rat) | = 3000 mg/kg (Rabbit) | > 5.28 mg/L (Rat)4 h |

Carcinogenicity: No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

| Chemical Name | Algae/Aquatic Plants | Fish | Toxicity to Microorganisms | Crustacea |
|-------------------------------------|---|---|-------------------------------|--|
| petroleum distillates 64742-47-8 | Not Available | 45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static | Not Available | 4720: 96 h Den-dronereides heteropoda mg/L LC50 |
| betroleum distillates 64742-88-7 | 450: 96 h Pseudokirchneriella subcapitata mg/L EC50 | 800: 96 h Pimephales promelas mg/L LC50 static | Not Available | 100: 48 h Daphnia magna mg/L EC50 |

| Persistence and Degradability: | No information available. | |
|--------------------------------|---------------------------|--|
| Bioaccumulation: | No information available. | |

Other Adverse Effects:

No information available.

13. DISPOSAL CONSIDERATIONS

Disposal of Wastes: Dispose of in accordance with federal, state and local regulations. **Contaminated Packaging:** Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with federal, state and local regulations.

14. TRANSPORT INFORMATION

| UN/ID No: | UN1950 |
|-----------------------|--|
| Proper Shipping Name: | Aerosols |
| Hazard Class: | 2.1 |
| Special Provisions: | This product meets the exception requirements of section 49 CFR 173.306 as a limited |
| | quantity and may be shipped as a limited quantity. |

15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

SARA 313

DOT:

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

| Acute Health Hazard: | Yes |
|------------------------------------|-----|
| Chronic Health Hazard: | No |
| Fire Hazard: | No |
| Sudden release of pressure hazard: | Yes |
| Reactive Hazard: | No |

California Proposition 65

This product does not contain any Proposition 65 chemicals

| 16. OTHER INFORMATION | | | | | | |
|-----------------------|-------------------|-----------------|---------------------|--------------|--|--|
| NFPA | Health Hazards: 1 | Flammability: 1 | Instability: 0 | Special: N/A | | |
| HMIS | Health Hazards: 1 | Flammability: 2 | Physical Hazards: 2 | | | |

Revision Date: Reasons for Revision: 18-May-2015 No information available.

Disclaimer:

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet