

# Safety Data Sheet Spartan Chemical Company, Inc.

Revision Date: 26-Nov-2019

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Identifier** 

Product Name: AIRLIFT TROPICAL AIR FRESHENER (AEROSOL)

Product Number: 6068

Recommended Use: Air freshener

Uses Advised Against: For Industrial and Institutional Use Only

Manufacturer/Supplier: Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee, Ohio 43537 USA 800-537-8990 (Business hours) www.spartanchemical.com

24 Hour Emergency Phone Numbers:

**Medical Emergency/Information:** 888-314-6171

Transportation/Spill/Leak: CHEMTREC 800-424-9300

## 2. HAZARDS IDENTIFICATION

**GHS Classification** 

Flammable Aerosols Category 1
Gases Under Pressure Liquefied gas

**GHS Label Elements** 

Signal Word: Danger

Symbols:



**Hazard Statements:** 

Extremely flammable aerosol.

Contains gas under pressure; may explode if heated

**Precautionary Statements:** 

Prevention: Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Intentional misuse by deliberately concentrating and inhaling contents may be harmful or

fatal

Response:

**-Specific Treatment:** See Safety Data Sheet Section 4: "FIRST AID MEASURES" for additional information.

Storage: Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F Store in a

well-ventilated place

Disposal: Not Applicable

Hazards Not Otherwise Classified: Not Applicable

\_\_\_\_\_\_

Other Information: • May cause skin irritation.

- May cause eye irritation.May be harmful if swallowed.
- Inhalation of vapors or mist may cause respiratory irritation.

Revision Date: 26-Nov-2019

· Keep out of reach of children.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Water	7732-18-5	60-100
Butane	106-97-8	7-13
C13-14 Alkane	64742-47-8	5-10
Propane	74-98-6	3-7
C10-C12 Alkane/Cycloalkane	64742-48-9	1-5
Polyglyceryl-3 Oleate	9007-48-1	0.1-1
Fragrance	PROPRIETARY	0.1-1
Sodium Benzoate	532-32-1	0.1-1
Hexyl Cinnamal	101-86-0	<0.1
Diethyl Phthalate	84-66-2	<0.1
Tetrahydrolinalool	78-69-3	<0.1
Phenethyl Alcohol	60-12-8	<0.1
Hexyl Salicylate	6259-76-3	<0.1
Ethyl Trimethylcyclopentene Butenol	28219-61-6	<0.1
Ethyl Linalool	10339-55-6	<0.1
Citronellol	106-22-9	<0.1
Butylphenyl Methylpropional	80-54-6	<0.1
Benzyl Salicylate	118-58-1	<0.1
Benzyl Acetate	140-11-4	<0.1
Amyl Cinnamal	122-40-7	<0.1
2,6-Dimethyl-7-Octen-2-ol	18479-58-8	<0.1

Specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## 4. FIRST AID MEASURES

**-Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

**-Skin Contact:** Wash with soap and water. If skin irritation occurs: Get medical attention.

**-Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a

poison control center or physician if you feel unwell.

-Ingestion: Rinse mouth. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Get medical attention if you feel unwell.

**Note to Physicians:** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog), Foam

Chemical:

Specific Hazards Arising from the Extremely flammable aerosol. Exposure to high temperature may cause containers to burst.

Bursting aerosol containers may be propelled from fire at high speed.

Hazardous Combustion Products: May include Carbon monoxide Carbon dioxide and other toxic gases or vapors.

**Protective Equipment and**Wear MSHA/NIOSH approved self-contained breathing apparatus (SCBA) and full **Precautions for Firefighters:**Water may be used to cool closed containers to prevent pressure build-up

and possible auto ignition or explosion when exposed to extreme heat.

#### 6. ACCIDENTAL RELEASE MEASURES

**Personal Precautions: Environmental Precautions:** 

Methods for Clean-Up:

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Do not rinse spill onto the ground, into storm sewers or bodies of water.

Prevent further leakage or spillage if safe to do so. Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).

Revision Date: 26-Nov-2019

#### 7. HANDLING AND STORAGE

Advice on Safe Handling: Handle in accordance with good industrial hygiene and safety practice. Intentional misuse

> by deliberately concentrating and inhaling contents may be harmful or fatal. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Wash thoroughly after

handling.

NFPA 30B Level 1 Aerosol. Do not store in direct sunlight or above 122 F° / 50 C°. **Storage Conditions:** 

Exposure to high temperature may cause containers to burst. Keep out of the reach of

children.

Minimum of 2 years from date of manufacture. Suggested Shelf Life:

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Occupational Exposure Limits:** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH
Butane	STEL: 1000 ppm	(vacated) TWA: 800 ppm	TWA: 800 ppm
106-97-8		(vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1900 mg/m <sup>3</sup>
Propane 74-98-6	: See Appendix F: Minimal Oxygen Content	TWA: 1000 ppm TWA: 1800 mg/m³ (vacated) TWA: 1000 ppm (vacated) TWA: 1800 mg/m³	IDLH: 2100 ppm TWA: 1000 ppm TWA: 1800 mg/m³
Diethyl Phthalate 84-66-2	TWA: 5 mg/m <sup>3</sup>	(vacated) TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Benzyl Acetate 140-11-4	TWA: 10 ppm	-	-

**Engineering Controls:** Provide good general ventilation.

> If work practices generate dust, fumes, gas, vapors or mists which expose workers to chemicals above the occupational exposure limits, local exhaust ventilation or other

engineering controls should be considered.

**Personal Protective Equipment** 

**Eye/Face Protection:** Not required with expected use. **Skin and Body Protection:** Not required with expected use. **Respiratory Protection:** Not required with expected use.

> If occupational exposure limits are exceeded or respiratory irritation occurs, use of a NIOSH/MSHA approved respirator suitable for the use-conditions and chemicals in Section

3 should be considered.

Wash hands and any exposed skin thoroughly after handling. **General Hygiene Considerations:** 

See 29 CFR 1910.132-138 for further guidance.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Revision Date: 26-Nov-2019

Appearance/Physical State:	Aerosol
Color:	Colorless
Odor:	Floral fragrance
pH:	6.0-8.0
Melting Point / Freezing Point:	No information available.
Boiling Point / Boiling Range:	100 °C / 212 °F (Product without propellant)
Flash Point:	< -18 °C / < 0 °F (Propellant-estimated)
Evaporation Rate:	< 1 (Butyl acetate = 1)
Flammability (solid, gas)	No information available.
Upper Flammability Limit:	No information available.
Lower Flammability Limit:	No information available.
Vapor Pressure:	No information available.
Vapor Density:	No information available.
Specific Gravity:	0.83 (Product without propellant)
Solubility(ies):	No information available.
Partition Coefficient:	No information available.
Autoignition Temperature:	No information available.
Decomposition Temperature:	No information available.
Viscosity:	No information available.

## 10. STABILITY AND REACTIVITY

**Reactivity:** This material is considered to be non-reactive under normal conditions of use.

Chemical Stability: Stable under normal conditions.

Possibility of Hazardous Reactions: Not expected to occur with normal handling and storage.

Conditions to Avoid: Extremes of temperature and direct sunlight. Incompatible Materials: Strong oxidizing agents. Strong acids.

Hazardous Decomposition May include ca

Products:

May include carbon monoxide, carbon dioxide (CO2) and other toxic gases or vapors.

## 11. TOXICOLOGICAL INFORMATION

**Likely Routes of Exposure:** Eyes, Skin, Ingestion, Inhalation.

Symptoms of Exposure:

**-Eye Contact:** Pain and redness. **-Skin Contact:** Drying of the skin.

-Inhalation: Nasal discomfort and coughing.-Ingestion: Pain, nausea, vomiting and diarrhea.

Immediate, Delayed, Chronic Effects

Product Information: Data not available or insufficient for classification.

Target Organ Effects: Central nervous system.

**Numerical Measures of Toxicity** 

The following acute toxicity estimates (ATE) are calculated based on the GHS document.

ATEmix (oral): 50596 mg/kg
ATEmix (dermal): 20934 mg/kg
ATEmix (inhalation-gas): 1669005 mg/l

**Component Acute Toxicity Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	Not Available	Not Available
Butane 106-97-8	Not Available	Not Available	= 658 g/m³(Rat)4 h
C13-14 Alkane 64742-47-8	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 5.2 mg/L (Rat)4 h
Propane 74-98-6	Not Available	Not Available	= 658 mg/L (Rat)4 h

C10-C12 Alkane/Cycloalkane 64742-48-9	> 6000 mg/kg (Rat)	> 3160 mg/kg ( Rabbit )	> 8500 mg/m³ (Rat) 4 h
Sodium Benzoate 532-32-1	= 4070 mg/kg (Rat)	Not Available	Not Available
Hexyl Cinnamal 101-86-0	= 3100 mg/kg (Rat)	> 3000 mg/kg ( Rabbit )	> 5 mg/L (Rat)4 h
Diethyl Phthalate 84-66-2	= 8600 mg/kg (Rat)	> 11200 mg/kg (Rat)	> 4.64 mg/L (Rat) 6 h
Tetrahydrolinalool 78-69-3	> 5 g/kg(Rat)	> 5000 mg/kg ( Rabbit )	Not Available
Phenethyl Alcohol 60-12-8	= 1609 mg/kg (Rat)	= 2535 mg/kg ( Rabbit )	> 4.63 mg/L (Rat) 4 h
Hexyl Salicylate 6259-76-3	> 5 g/kg(Rat)	Not Available	Not Available
Citronellol 106-22-9	= 3450 mg/kg (Rat)	= 2650 mg/kg ( Rabbit )	Not Available
Butylphenyl Methylpropional 80-54-6	= 1390 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	Not Available
Benzyl Salicylate 118-58-1	= 2227 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	Not Available
Benzyl Acetate 140-11-4	= 2490 mg/kg (Rat)	> 5000 mg/kg ( Rabbit )	Not Available
Amyl Cinnamal 122-40-7	= 3730 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	Not Available
2,6-Dimethyl-7-Octen-2-ol 18479-58-8	= 3600 mg/kg (Rat)	> 5 g/kg(Rabbit)	Not Available

Revision Date: 26-Nov-2019

**Carcinogenicity:** No components present at 0.1% or greater are listed as to being carcinogens by ACGIH, IARC, NTP or OSHA.

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Algae/Aquatic Plants	Fish	Toxicity to Microorganisms	Crustacea
C13-14 Alkane 64742-47-8	Not Available	45: 96 h Pimephales promelas mg/L LC50 flow-through 2.2: 96 h Lepomis macrochirus mg/L LC50 static 2.4: 96 h Oncorhynchus mykiss mg/L LC50 static	Not Available	Not Available
C10-C12 Alkane/Cycloalkane 64742-48-9	Not Available	2200: 96 h Pimephales promelas mg/L LC50	Not Available	Not Available
Sodium Benzoate 532-32-1	Not Available	420 - 558: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	Not Available	650: 48 h Daphnia magna mg/L EC50
Diethyl Phthalate 84-66-2	23: 72 h Desmodesmus subspicatus mg/L EC50 23: 72 h Desmodesmus subspicatus mg/L EC50 static 21: 96 h Desmodesmus subspicatus mg/L EC50 21: 96 h Desmodesmus subspicatus mg/L EC50 static 42 - 255: 72 h Pseudokirchneriella subcapitata mg/L EC50 2.11 - 4.29: 96 h Pseudokirchneriella subcapitata mg/L EC50 static	17: 96 h Pimephales promelas mg/L LC50 flow-through 16.8: 96 h Pimephales promelas mg/L LC50 static 22: 96 h Lepomis macrochirus mg/L LC50 flow-through 16.7: 96 h Lepomis macrochirus mg/L LC50 static 12: 96 h Oncorhynchus mykiss mg/L LC50 flow-through	Not Available	36 - 74: 48 h Daphnia magna mg/L EC50 86: 48 h Daphnia magna mg/L EC50 Static
Phenethyl Alcohol 60-12-8	490: 72 h Desmodesmus subspicatus mg/L EC50	Not Available	Not Available	287.17: 48 h Daphnia magna mg/L EC50

Butylphenyl Methylpropional Not Available 2.2 - 4.6: 96 h Brachydanio Not Available 10.7: 48 h Daphnia magna 80-54-6 rerio mg/L LC50 static 10.7: 48 h Daphnia magna mg/L EC50

Revision Date: 26-Nov-2019

Persistence and Degradability:
Bioaccumulation:

No information available.
No information available.

Other Adverse Effects: No information available.

#### 13. DISPOSAL CONSIDERATIONS

**Disposal of Wastes:** Dispose of in accordance with federal, state and local regulations.

Contaminated Packaging: Pressurized container: Do not pierce or burn, even after use. Dispose of in accordance with

federal, state and local regulations.

## 14. TRANSPORT INFORMATION

DOT:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

**Special Provisions:** This product meets the exception requirements of section 49 CFR 173.306 as a limited

quantity and may be shipped as a limited quantity.

IMDG:

UN/ID No: UN1950
Proper Shipping Name: Aerosols
Hazard Class: 2.1

Additional information: Limited Quantity

## 15. REGULATORY INFORMATION

TSCA Status: (Toxic Substance Control Act Section 8(b) Inventory)

All chemical substances in this product are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

#### **SARA 313**

This product does not contain listed substances above the "de minimus" level

SARA 311/312 Hazard Categories

Acute Health Hazard:YesChronic Health Hazard:NoFire Hazard:NoSudden release of pressure hazard:YesReactive Hazard:No

**California Proposition 65** 

This product is not subject to warning requirements under California Proposition 65.

## **16. OTHER INFORMATION**

NFPA Health Hazards: 1 Flammability: 1 Instability: 0 Special: N/A

HMIS Health Hazards: 1 Flammability: 2 Physical Hazards: 2

Revision Date: 26-Nov-2019

**Reasons for Revision:** Section, 2, 3, 7, 8, 11, 12, and, 13

Revision Date: 26-Nov-2019

#### Disclaimer:

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**