PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 10 November 2010

Revision Number: 2

NFPA Health Hazard Fire Fazard Reactivity PPE Transport Symbol

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:

Leader Lens Cleaning Towelette

Product Number(s):

70, 70-1, 70-10, 70BP

Recommended Use:

Lens cleaner. Instrument care. Water based cleaner.

Supplier Information:

Emergency Phone: Call INFOTRAK - 1-800-535-5053

2. HAZARDS IDENTIFICATION

Potential Health Effects

Principal Routes of Exposure

Skin contact.

Acute Toxicity

Eyes

Skin

Inhalation

.

Vapor may cause irritation.

May be harmful in contact with skin. May cause irritation.

May be harmful if inhaled. Avoid breathing vapors or mists. May cause irritation of respiratory tract. May cause central nervous system depression with nausea,

headache, dizziness, vomiting and incoordination.

Ingestion

May be harmful if swallowed. Ingestion may cause gastrointestinal irritation, nausea,

vomiting and diarrhea.

Chronic Effects

Avoid repeated exposure. Contains a known or suspected reproductive toxin.

Aggravated Medical Conditions

Central nervous system. Preexisting eye disorders. Blood disorders. Kidney disorders. Liver disorders. Overexposure may cause female and male reproductive

disorder(s), Skin disorders. Respiratory disorders.

Interactions w/ Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

Environmental Hazards

See section 12

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 10 November 2010 Revision Number: 2

3. INGREDIENTS

Chemical Name	CAS No.	% by Weight
Water	773-18-5	60-85
Isopropyl Alcohol	67-63-0	10-30
Supplier Trade Secret	Proprietary	5-10
Anti-Fog	56-81-5	<1
Anti-Stat	68391-01-5	<1

4. FIRST AID MEASURES

Eye Contact Rinse Immediately with plenty of clean water, also under eyelids, for at least 15 minutes. Keep eyes

wide open while rinsing. If symptoms persist, call a physician.

Skin Contact Wash with soap and water. If irritation persists, or allergic reaction occurs, call a physician.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If

symptoms persist, call a physician.

Ingestion DO NOT induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an

unconscious person. Consult a physician.

Notes to Physicians Treat symptomatically.

5. FIRE FIGHTING MEASURES

Flammable Properties Combustible material.

Flash Point Not available

surrounding environment.

Uniform Fire Code - Irritant: Liquid

- Combustible Liquid III-B

Hazardous Byproducts of Combustion Carbon exides

Explosion Data

Sensitivity to Mechanical Impact

Not sensitive

Sensitivity to Static Discharge

Yes

Protective Equipment Wear self contained breathing apparatus pressure-demand, MSHA/NIOSH

approved (or equivalent), and full protective gear.

Special Precautions

NFPA Health Hazard: 2 Flammability: 1 Stability: 0 Physical & Chemical Hazards:

6. ACCIDENTAL RELEASE & SPILL MEASURES

Personal Precautions Use personal protective equipment. Avoid contact with skin and eyes. Remove all sources of

ignition.

Containment Methods Prevent further leakage or spillage if safe to do so.

Clean-up Methods Use personal protective equipment. Soak up with absorbent material. Pick up and transfer to

properly labeled containers.

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 10 November 2010

Revision Number: 2

7. HANDLING AND STORAGE

Handling

Handle in accordance with good industrial hygiene and safety practices. Avoid contact with skin and clothing. Wear personal protective equipment. Keep away from open flames, hot

surfaces and sources of ignition. Keep out of reach of children.

Storage

Keep container tightly closed. Keep away from open flames Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Isopropyl Alcohol + 400 ppm STEL		TWA:400 ppm	IDLH: 2000 ppm 10% LEL
	TWA: 200 ppm	TWA: 980 mg/m ³	TWA:400 ppm
		(vacated) TWA: 400 ppm	TWA: 980 mg/m³
1		(vacated) TWA: 980 mg/m ³	STEL: 1225 mg/m ³
		(vacated) STEL: 1225 mg/m ³	STEL: 500 ppm
		(vacated) STEL: 500 ppm	
Supplier Trade Secret	TWA: 20 ppm	TWA: 50 ppm	IDLH: 700 ppm
		TWA: 240 mg/m ³	TWA: 5 ppm
		(vacated) TWA: 25 ppm	TWA: 24 mg/m ³
]		(vacated) TWA: 120 mg/m ³	
		Skin	

Engineering Measures

Showers, Eyewash Stations. Ventilation Systems

Personal Protective Equipment

Eve & Face Protection Skin & Body Protection No special equipment required

Protective gloves

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Hygiene Measures

When using, do not eat, drink or smoke. Remove and wash contaminated clothing before reuse. Provide regular cleaning of equipment, work are and clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceWhite solid Odor......Mild alcohol scent Odor Threshold......no information available Physical StateSolid. Solid containing liquid. Moist paper. pH7 Flash Pointno information available Auto-ignition Temperature.....no information available Decomposition Temperatureno information available Boiling Pointno information available Melting Pointno information available Flammability Limits in Airno information available Explosion Limits no information available Water Solubility.....no information available Solubilityno information available Evaporation Rateno information available

Vapor Pressureno information available

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009

Revision Date: 10 November 2010

Revision Number: 2

Vapor Density.....no information available Specific Gravity (@20°C).....no information available

VOC Contentnot applicable

10. STABILITY AND REACTIVITY

Stability

Stable under recommended storage conditions

Incompatible Products

Strong oxidizing agents. Acids. Chlorinated compounds

Conditions to Avoid

Heat, Flames, Sparks

Hazardous Byproducts of Decomposition

Carbon Oxides

Hazardous Reactions

Hazardous polymerization does not occur

Hazardous Polymerization

Hazardous polymerization does not occur

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

May be harmful by inhalation, ingestion or skin absorption

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Water	90 mL/kg (Rat)		
Isopropyl Alcohol	4396 mg/kg (Rat)	12800 mg/kg (Rat) 12870 mg/kg (Rabbit)	72.6 mg/L (Rat) 4h
Supplier Trade Secret	470 mg/kg (Rat)	220 mg/kg (Rat) 2270 mg/kg (Rabbit)	2.21 mg/L (Rat) 4h 450 ppm (rat) 4h

Chronic Toxicity

Chronic Toxicity

Avoid repeated exposure. Contains a known or suspected reproductive toxin.

Carcinogenicity

Chemical Name	ACGIH	IARC	NTP	OSHA
Supplier Trade Secre	t A3			

ACGIH: Americam Conference of Governmental Industrial Hygienists)

A3: Animal Carcinogen

Target Organ Effects

Blood, Central Nervous System (CNS), Eyes, Hematopoetic System, Kidney, Liver, Respiratory System, Skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated. Ecotoxicity effects of component substances follows:

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009

Revision Date: 10 November 2010

Revision Number: 2

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Isopropyl Alcohol	EC50 > 1000mg/L 72h EC50 > 1000mg/L 96h	LC50=61200 mg/L Pimephales promelas 96h LC50=94900 mg/L Pimephales promelas 96h LC50=9640 mg/L Pimephales promelas 96h	EC50 > 35390 mg/L 5 min.	EC50 = 13299 mg/L 48h
Supplier Trade Secret		LC50=1490 mg/L Lepomis macrochirus 96h		LC50 1698-1940 mg/L 24h EC50 = 1720 mg/L 24h

Chemical Name	Log Pow
Isopropyl Alcohol	=0.05_25A°C
Supplier Trade Secret	=0.81_25A°C

13. WASTE DISPOSAL

Waste Disposal Methods

This material as supplied is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Materials

Dispose of in accordance with local regulations.

This product contains one or more substances that are listed with the State of California as a hazardous waste:

The product contains one of their substances that are noted that the State of Camerina as a nazarasas waste.				
Chemical Name	California Hazardous Waste Status			
Isopropyl Alcohol	Toxic. Ignitable.			

14. TRANSPORTATION

15. REGULATORY INFORMATION

International Inventories

TSC	. Complies
DSL	. Does not comply
EINECS/ELINCS	
ENCS	Does not comply

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 10 November 2010 Revision Number: 2

IECSC Does not comply
KECL Does not comply
PICCS Does not comply
AICS Does not comply

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains the following chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal

Regulations, part 372.

·			SARA 313 - Threshold Values
Chemical Name	CAS No.	% by Weight	%
Isopropyl Alcohol	67-63-0	10-30	1.0
Supplier Trade Secret	Proprietary	5-10	1.0

SARA 313 / 312 Hazard Catagories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Pressure Release Hazard	No
Reactive Hazard	No

Clean Water Act

This Product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

	CWA - Reportable		CWA - Priority	CWA - Hazardous
Chemical Name	Quantities	CWA - Toxic Pollutants	Pollutants	Substances
Isopropyl Alcohol				Х

Clean Air Act, Sec. 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following substances which are listed hazardous air pollutants (HAPs) under Sec. 112 of the Clean Air Act.

					Class 1 Ozone	Class 2 Ozone
Chemical Name	CAS No.	% by Weight	HAPs Data	VOC Chemicals	Depletors	Depletors
Supplier Trade Secret		5-10	Present (includes mono- and di- ethers of ethylene glycol and triethylene glycol, except ethylene glycol monobutyl ether [EGBE]. See 40 CFR 63.62 for redifinition of glycol ethers listed as hazardous air pollutants.	Group I	Берівіої	Depletois

CERCLA

This material as supplied does not contain any substances regulated as hazardous substances under the Comprehensive Environmental response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009

Revision Date: 10 November 2010

Revision Number: 2

U.S. State Right-to-Know Regulations

Chemical Name	MA	NJ	PA	IL	RI	
Isopropyl Alcohol	X	X	X		X	
Supplier Trade Secret	X	X	X	Χ	X	

International Regulations

Mexico - Grade

Moderate risk - Grade 2

Chemical Name	Carcinogen Status	Exposure Limits
Isopropyl Alcohol		Mexico: TWA=26ppm
		Mexico: TWA=120 mg/m ³
		Mexico: STEL=360 mg/m ³
		Mexico: STEL=75ppm
Supplier Trade Secret		Mexico: TWA=400ppm
		Mexico: TWA=980 mg/m ³
		Mexico: STEL=1225 mg/m³
		Mexico: STEL=500ppm

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR), and the MSDS contains all of the information required by the CPR.

WHMIS Hazard Class

B3 D2B Combustible Liquid Toxic materials





Chemical Name	National Pollutant Release Inventory	
Isopropyl Alcohol	X	
Supplier Trade Secret	X	

16. OTHER INFORMATION	

Date of Issue

30 January 2009

Revision date

Revision Note

PRODUCT: Leader Lens Cleaning Towelette

Issue Date: 30 Jan 2009 Revision Date: 10 November 2010

Revision Number: 2

Hazards and Emergency Overview

Combustible material.

May be harmful or fatal if swallowed, inhaled or absorbed through skin.

Irritating to eyes.

Vapors may be irritating to eyes, nose, throat and lungs.

May cause central nervous system depression.

May cause adverse effects on the bone marrow and blood forming system

May cause adverse kidney effects.

May cause adverse liver effects

Contains a known or suspected reproductive toxin.

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, release and disposal, and is not to be considered as a warranty or quality specification. The information related only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text of this MSDS.

* * * END OF MATERIAL SAFETY DATA SHEET * * *